

KMS Technologies – KJT Enterprises, Inc.

Appendix 6 Subject Index

from

Strack, K.-M., 1992, *Exploration with Deep Transient Electromagnetics*: Elsevier, 373 pp.

This material is not longer covered by copyright. The copyright was released by Elsevier to Dr. Strack on November 5th, 2007.

The author explicitly authorizes unrestricted use of this material as long as proper reference is given.

Appendix 6

Subject Index

A

- | | | | |
|---------------------------------|----------------------------------|-------------------------------------|--|
| Aa | 12 | angular frequency | 25 |
| acquisition | 184 | anhydrite | 174 |
| - comments | 300 | anisotropic model | 16 |
| - procedure | 161 | anisotropy | 15, 16, 19, 307, 308 |
| - system | 70, 127, 136, 154, 165, 190, 300 | - coefficient | 16, 206 |
| - time | 171 | anomalous area | 44 |
| A/D converter | 141 | anomalous body | 109, 187 |
| A/D converter temperature drift | 49 | anomalous conductor | 117 |
| A/D offsets | 62 | anomalous fields | 110 |
| Africa | 247 | anomalous response | 109 |
| aftershocks | 276 | anomalous structure | 219 |
| airborne electromagnetics | 3 | anomalous transients | 215 |
| airborne TEM | 5 | anomalous zone | 112, 189 |
| aircraft generators | 133 | anomaly maps | 73 |
| all time apparent resistivity | 32, 33, 35, 36, 38, 40, 45, 46 | anthropogenic electromagnetic noise | 47 |
| alpha-trimmed mean | 58 | anthropogenic influence | 47 |
| Alpine orogen | 253 | apparent resistivity | 2, 21, 26-29, 31-33, 37, 38, 45, 187, 218, 270, 275 |
| Ampere's law | 24, 289 | - curve | 62, 65, 71, 72, 117, 143, 178-180, 207, 210, 307-309 |
| amplifier | 49, 129, 131, 140, 144, 155 | - formula | 32, 46 |
| - gains | 271 | - transforms | 69, 104 |
| amplitude | | Appollonian circle | 54 |
| -distortion | 57 | APRE | 314 |
| -response | 48, 57, 253, 259 | a priori information | 74, 83, 125, 173, 184, 186, 190, 246, 259, 266 |
| -spectra | 198 | a priori knowledge | 109 |
| AMT | 214 | aqueous fluids | 281 |
| analog | | Arapaho | 206 |
| - filter | 31, 120, 146, 161, 230 | Archie formation factor | 11 |
| - modeling | 307 | Archie's formula | 11, 12, 182, 238, 307 |
| - modeling classification | 107 | Archie's law | 20, 307 |
| - modeling experiment | 106 | area-defined rejection | 60, 61 |
| - notch filter | 70, 144, 258, 261, 309 | array dimension | 27 |
| - recordings | 284 | artificial noise | 182, 183 |
| - scale model | 105 | ASCII data | 298 |
| - transmission circuitry | 146 | Asia | 8, 19 |
| -to-digital converter | 140, 143 | asymptotic apparent resistivity | 45 |
| | | A-type | 41, 87 |

– curve	307
– model	88
– three-layer models	41
audio magnetotellurics	27, 214, 257
Australia	9, 19, 173, 184, 185, 190, 194, 225, 226, 227, 229, 235, 246, 309
average	
– predicted residual error	314
– quadratic deviation	76
– seismic velocity	245
– velocity	244
axial conductor	104, 105, 114

B

bandwidth	52–55, 57, 144–147
– limitations	144
basalt	100
– cover	227
base camp	150, 171
base frequency	254
base stack	163, 171, 309
base station	163–165, 167, 169, 171
base transient	171
Baxian Depression	192, 184, 190
Beijing	276
bentonite	152
Berkshire Park	214
Bessel function	25
best fit model	79, 83
BHP	208
bias control	143, 144
bias voltage	143
binary steps	131
Biot Savart's law	39, 65, 295
bipolar continuous waveform	133, 172, 307, 308
bipolar current waveforms	133
bipolar waveform	133, 307, 308
BIRPS	257
Black Box	48, 50
Black Forest	117, 119, 252, 256–265, 281, 283
blocked well log	242
BMFT	9
Bohai Gulf Basin	182
borehole	96, 195, 204, 209, 215
– information	204
– measurements	99
Brazil	192

bright spot	258
brine	3, 224
British Institutions Reflection Profiling Syndicate	257
broad-band artificial	161
building blocks	145
bulk porosity	190
bulk resistivity	20
Buntsandstein	196

C

Cabora Bassa	248
– power line	247
calibration	
– curve	4, 240
– factor	50, 62, 63, 65–67, 72, 117, 118, 157, 231, 251, 307, 315
– gear	155
– signal	155
– unit	130, 131
– well	119
Cambrian	240
Canadian Shield	249, 251
candidate models	250
Canning Basin	235, 236, 246
carbonate layer	183, 184
carbonates	4, 173, 182, 184, 192, 238, 240, 241, 244, 245,
carbonate unit	173
Carboniferous	196, 201, 203, 204, 226, 241, 244
card image header	300
case history	43, 99, 100, 165, 814, 193, 204, 225, 227, 229, 235, 240, 246, 247, 250, 251, 284
cementation factor	11
characteristic of noise	58
charge	229
– accumulation	228
– density	228
China	9, 167, 168, 171, 173, 182, 190, 227, 240, 246, 247, 251, 274, 277, 281–283
– survey	167
Chinese State Seismological Bureau	277
clastic sediments	182
clastic unit	238, 240
clay shales	212
clock drift	138, 153, 154, 158, 164, 165, 169
– measurement log	312
clock rate	136, 307

- clock trigger 154
- coal 11, 212
 - measures 213
- coefficient of anisotropy 17, 206, 307
- coincident loop TEM 225
- Cologne 193
- Colorado 205, 225
 - School of Mines 7, 19
 - — test area 193, 205
- compensated data 169
- complex plane 54
- complex structures 121
- component 125
- composition of rocks 12
- compressional-to-shear-wave velocity .. 263
- conductance 38, 109, 122, 200, 262, 279, 280, 307
 - referencing 199, 279, 307, 310
- conductive
 - bodies 118
 - dikes 187
 - patch 117, 120, 125
 - plate 121
 - targets 229
- conductivity 27, 33, 40
 - image 38
- conductor resistivity test 255
- conductor thickness test 255, 256
- confidence 232, 239, 255
 - bounds 76, 267, 314
 - envelope 37, 70
 - intervals 314
 - level 51, 145
 - limit 260
 - values 266
- confined bodies 121
- conglomerates 212
- consolidated sediments 11
- consolidated rocks 13
- continuity of the normal current density component 228
- continuous electric field measurement .. 138, 158, 159
- contour map 201, 203, 241, 242
- contour sections 45
- control measurement 164–169
- control site 278, 279
- controlled source
 - EM 247
 - — methods 161, 247
 - — surveys 200
 - audio-frequency magnetotellurics 27, 89, 215, 308
 - electromagnetic methods 246
 - electromagnetic techniques .. 6, 21, 62, 241, 308
 - method 227
- convolution 48, 70, 156, 266, 285
 - of synthetic data 51
 - theorem 50, 52, 53, 285
- copper-copper sulphate electrodes 130
 - , non-polarizing 130, 229
- correction factor 66, 67
- correlated noise 162
- correlation matrix 314
- cost effectiveness 274
- costs per station 182
- Coulomb's law 24
- coupling effects 48
- covariance matrix 314
- CPU time 102, 122
- Cramer-Rao multipliers 314
- craton 271, 273, 274
- cratonic crust 268
- Cretaceous 196, 220, 243
- crustal applications 22, 145, 247
- crustal conductor 252
- crystal clock 128
- crystal oscillator 154
- crystalline environment 111
- crystalline basement 266
- crystalline overthrusting 227
- crystalline rock 20, 99, 255, 279, 282
- CSAMT 89, 215, 224, 308
- CSIR 9, 247
- CSIRO 208
- CSM test area 205–207
- cultural noise 68, 193, 204, 258, 259, 266, 308
 - sources 58
- cumulative conductance 174–176, 196, 308
- current 27, 62, 153, 172, 228, 230, 246, 250, 251, 253, 309
 - channeling 62, 67, 71, 178, 230
 - controlled transmitter 156
 - density 24, 45, 228, 289, 294
 - — vector 65
 - filament 39, 40
 - flow 65, 117, 228

- image	39, 245	deep crustal transients	247
- reversal	133	deep drilling project	252
- step	270	deep exploration	7
- switching	172, 251, 309	deep geothermal applications	250
- waveform	49, 307, 308	deep reflection seismic	253
curve fitting process	183	deep transient	171
cyclic deposition process	15	- EM equipment	9
		- electromagnetics	1, 9, 45, 47
		- electromagnetic signals	68
		- electromagnetic sounding	
		method	2, 5, 124
		deeply weathered overburden	4, 19
		dehydration processes	282
		DEKORP	257
		delay time	304
		delta function	49
		DEMS I	8
		DEMS II	9
		DEMS III	208
		DEMS III	9
		DEMS IV	9, 129, 131, 132, 140, 144, 146-148, 172, 229, 270, 284, 300
		DEMS V	9
		Dendron	269
		Denver	206
		- Julesberg Basin	16, 205
		depth	
		- bounds	272
		- conversion	244, 245
		- of investigation	83, 89, 161, 274, 278
		- resolution	229
		- soundings	5
		- to the conductor	145
		- to-base	232
		Deutsches Kontinentales Reflektions-	
		seismik Programm	257
		deviation of mean	314
		Devonian	241, 253
		- Famenian	235
		diabase	184
		diapirism	4, 19
		dielectric constant	24, 26
		dielectric permittivity	289
		difference equation	26, 52-54
		diffusion	229
		- depth	38, 84, 119, 120
		- patterns	22
		- process	21, 22, 24, 45
		- speed	22
		- velocity	38
Dakota sandstone	206		
damped error multipliers	315		
damped multipliers	314		
damping factors of the original			
parameters	83, 232, 315		
damping factors of the transformed parameters			
80,	82		
damping factor	79, 80, 83, 287, 315, 316		
data acquisition	145, 173, 282		
- system	129, 131		
data			
- density	201		
- influence matrix	315		
- processing sequence	259		
- processing	127, 150, 169, 193, 210, 232, 247, 258		
- quality	161, 171		
- redundancy	258, 277		
- space	316		
DC			
- drifts	142, 271		
- level	69, 104, 142, 143, 272, 309		
- effect	142		
- monopole	65, 66		
- resistivity	3, 62, 247-250, 269, 270, 274, 281-283		
- resistivity methods	27		
- resistivity soundings	27, 229, 247		
- step	68		
- to AC converter	9		
Debye potentials	24, 289, 290		
deconvolution	50, 51, 68, 70, 72, 120, 133, 154, 156, 207, 216, 251, 286		
- effects	251		
deconvolved data	37, 45		
deep EM	310		
deep TEM research	250		
deep crust	247		
deep crustal problems	251		
deep crustal studies	4, 19, 140, 192, 247, 252, 283,		

- digital
 - data acquisition system 254
 - data processing techniques 128
 - electromagnetic system, 1Vth generation 8, 129, 132, 229
 - filters 54, 70, 141, 309
 - notch filter 57
 - processing techniques 71
 - recursive filter 49, 52–57, 70, 259
 - telemetry 138
 - to–analog conversion 143
 - dike 114, 115
 - dipole 122, 207
 - equator 85
 - length 117
 - –dipole mapping 3, 138, 159
 - –sounding 229
 - direct presentation 37
 - discrepancy vector 78, 92, 287
 - displacement currents 26
 - distorted data 108
 - distorted responses 106
 - distorted signals 102, 108
 - distorted transient 103, 107, 109
 - distortions due to external influences 52, 53
 - DJ Basin 205, 226
 - DMT 9
 - dolerite 184–186, 190
 - dolomite 174
 - double peaks 247
 - double reversal 116
 - drift–induced offset 142
 - drift 144, 154, 163
 - dynamic range 27, 57, 76, 140, 141, 172, 270, 271, 284
 - limitation 139
 - dynamic resolution 254
- E**
- early stage transform 168
 - early time
 - amplitudes 222
 - apparent resistivity formulation 187
 - apparent resistivity 27, 28, 30, 37, 45, 46, 123, 199, 272
 - approximation 37
 - curves 251
 - depression 116
 - half-space voltage 29
 - resistivity curves 143
 - reversals 104
 - earth model 73, 75, 76, 96, 146
 - earth resistance 153
 - earth response. 39, 48, 104
 - earthed dipole 215
 - earthquake 275, 276, 283
 - prediction 251, 275, 284
 - ECORS 257
 - eigenparameter 232, 314–316
 - domain 232
 - eigenvalues 80, 82, 83
 - eigenvector 232, 287, 316
 - electric
 - and magnetic field data 233
 - component 85
 - current density 151
 - dipole 63
 - displacement 24, 289
 - fences 58
 - model 178
 - power line transients 70
 - railroads 204
 - receiver signal 15
 - transients 239, 240
 - electric field 15, 21, 26, 31, 39, 45, 46, 67, 86, 87, 130, 157, 158, 159, 183, 187, 189, 190, 192, 198, 202, 228, 229, 231, 232, 234, 244, 246, 249, 289
 - component 16, 24, 72, 85, 128, 178, 184, 243, 289
 - data 183, 234, 238
 - intensity 24
 - interpretation 184
 - inversion 233
 - joint inversion 159
 - measurements 67, 71, 201, 227, 229, 249, 250
 - parallel to the wire 30
 - perpendicular to the wire 31
 - response 116, 87
 - sensors 25, 128
 - strength 23
 - transient 187, 199, 231, 249
 - electrical
 - anisotropy 14, 16, 20, 308
 - charges 228
 - conductivity 9, 24
 - coupling 117
 - fences 261
 - field strength 21
 - log 176, 185
 - methods 26, 27

- properties of rocks 9
 - resistivity 9, 18
 - section 183
 - electrode ... 117, 118, 151, 153, 156, 159, 172, 210
 - plants 156
 - plates 172
 - sites 152
 - electromagnetic
 - data 9, 37, 74, 80
 - depth sounding method 309
 - field 26, 83, 116, 293, 309
 - components 30, 201
 - equations 24
 - interference 309
 - measurements 138
 - methods 2, 26, 27, 75, 227, 247, 297
 - noise 47, 131, 179, 210, 310
 - reflections 26
 - response 128
 - soundings 229
 - surface method 174
 - technique ... 19, 125, 127, 277, 310
 - theory, 138
 - waves 76
 - electromagnetics 2, 4, 6, 67, 309, 310
 - electromechanical switchbox 133, 134
 - embedded conductor 120
 - EM
 - data 240
 - depth soundings 263
 - field data 73
 - fields 37, 161
 - measurements 138, 226, 283
 - method 161, 227
 - noise 277
 - sounding data 73
 - techniques 182, 227
 - EM37 7, 308
 - energy 228
 - environmental concerns 152
 - epicentres 281
 - equator of the dipole transmitter ... 109, 230
 - equivalence 308
 - equivalent loop 278
 - equivalent resistivities 173
 - error
 - bar ... 37, 78, 79, 99, 98, 145, 168, 199, 259, 260, 272, 279
 - bounds 79, 255
 - ellipse 273
 - estimate 84
 - function 28
 - propagation 76
 - ridge trace 79
 - statistics 231
 - vector 77
 - estimated model 79
 - Etude Continentale et Oceanique par Reflexion et Refraction Seismique . 257
 - Europe .. 93, 100, 229, 233, 246, 247, 257, 281, 183
 - European Community 9
 - exploration depth 27
 - exploration
 - environment 183
 - geophysicist 10
 - problems 182
 - strategy 184
 - target 190
 - task 184
 - explorationist 19
 - external magnetic field 49
 - external noise 146, 163
 - external potential 295
 - extreme topography 4, 19
- ## F
- Faraday's law 24, 289
 - fast digital filters 116
 - fault 91
 - zones 187
 - feasibility study ... 173, 176, 179, 182, 186, 187, 189, 190, 315
 - field
 - array 110
 - behaviors 38
 - data 116
 - gradients 123
 - layouts 38
 - procedures 10, 127, 151
 - survey productive 156
 - system 154, 227
 - techniques 10
 - file header 300
 - filter bandwidth 57
 - filter coefficients 54
 - filter effects 120
 - filter response function 54
 - finite difference program 121
 - finite difference scheme 116, 123

- finite element method 116
 fitting error 255, 273, 314
 Flambeau anomaly 249
 flux gate magnetometers 130
 formation 12
 — factor 11
 — water 11
 forward calculations 116
 forward modeling 74, 75, 96, 123, 174,
 176, 181, 184, 190, 216, 219, 222,
 242–245, 270, 271
 Fourier components 290
 Fourier transform 52, 53, 64
 four-layer model 33
 Foxhills 206
 France 8
 frequency 26, 27, 87, 161
 — deconvolution 50
 — domain 6, 72
 — — deconvolution 51, 70
 — — EM system 49
 — — methods 27
 — — primary field 6
 — — soundings 27
 — — system 20
 — response 49, 54
 — wavenumber domain 291
 FRG 192
 fudge factor 62
- ## G
- gain 178
 — amplifier 141
 — factors 131
 —, improper definition of 62
 — ranging 140
 galvanic part 228
 galvanic source systems 215
 Gauss–Newton 76
 generator 128, 133–135, 153, 161
 — power 127, 158
 geoelectric
 — boundaries 173
 — data presentation 21
 — mapping 225
 — model 173, 176
 — properties 205
 — sections 176, 246
 — —geologic cross section 205, 206
 geologic age 14
 geologic boundaries 196
 geologic noise 161
 geological
 — cross section 236
 — meaning 181
 — section 213
 — strata 196, 200
 — structure 49, 107
 — target 177
 geology 37, 47, 74, 79, 91, 99, 100, 104,
 111, 116, 140, 146, 162, 173, 190, 191,
 193, 196, 204, 205, 209, 215, 222, 224,
 229, 241, 261, 264, 268
 Geopacific Resources 7
 geophysical appearance 181
 geophysical data 79
 geophysical techniques 193
 geophysicist 11, 79
 geothermal gradient 282
 German
 — Ministry for Research and
 Technology 9
 — TEM Pilot–Demonstration
 Project 240
 — deep drilling project 251, 252
 — deep transient EM systems 251
 — railroad power grid 56
 Germany 9, 19, 57, 59, 68, 89, 95, 101,
 107, 109, 133, 134, 145, 152, 164, 165,
 193, 225, 254
 Gibb's phenomenon 57
 global minimum 78
 gneisses 206, 266
 gradual resistivity increase 90
 granites 206
 graphite 282
 gravity 2, 4, 309
 Greta coal measures 213, 214
 grounded
 — dipole transmitter 229
 — electrical dipole 228
 — wire dipole 23, 45, 65, 117
 — wire TEM 117
 — wire transmitter 15, 21, 23, 128
 Group Seven 7, 19, 205
- ## H
- half-space 21–24, 26, 27, 32, 34, 35, 40,
 45, 46, 63, 65, 104, 116, 117, 228, 262,
 272
 — resistivity 45
 — response 16, 105

- early time apparent resistivity . . . 29
 - Haltern 107, 108
 - case history 226
 - Sands 195
 - Hanning window 198
 - hard bounds 94, 95
 - hard disc 129, 131
 - harmonics 258
 - Haslach 256
 - HED 295
 - Hercynian basement 253
 - Hercynian crustal structure 257
 - high and low energy noise 59, 70
 - high and low energy spikes 58, 70
 - high cultural noise level 225
 - high frequency noise 70, 169
 - high-line noise 309
 - highly porous volcanic rocks 20
 - homogeneous earth response 105
 - homogeneous isotropic ground 26
 - homogenous half-space 33, 34, 39, 104, 122
 - horizontal
 - anisotropy 14
 - bedding 15
 - current flow 15
 - electric dipole 295
 - induction current flow 15, 228
 - magnetic field 67, 72
 - resistivity 17
 - H-type 41
 - curve 41, 42, 46, 88, 308
 - three-layer models 41
 - Humble formation factor 11
 - hydrated minerals 282
 - hydrocarbon applications 250
 - hydrocarbon reservoirs 246
 - hydrothermal alteration 282
- I**
- IBG 300
 - Iceland 8
 - ideal transient 57
 - identity matrix 80, 287
 - IE 124
 - program 221
 - igneous rocks 12
 - Illawarra coal measures 213
 - image
 - conductivity 38, 40
 - depth 39, 40
 - header 300
 - of the subsurface geology 10
 - sections 37, 45
 - transmitter 46
 - imaginary part of the pole 55
 - imaging methods 127
 - imaging techniques 41, 138
 - importance 83, 87, 88, 226, 232, 233, 315, 316
 - impulse response 57
 - incoherent noise 169
 - incorrect amplitude measurements 62
 - India 9, 192
 - individual electromagnetic field
 - components 125
 - induced currents 22, 45, 217, 290
 - induced field 294
 - induced polarization 3, 6, 48, 225
 - induced voltage 142, 179, 181
 - induction
 - coil 25, 130, 210
 - — receiver 130
 - — takeout 130
 - currents 21, 22, 24, 45, 84, 128, 229, 310
 - log 18, 116, 190, 243, 266, 267
 - loop magnetometer 15, 25
 - loop receiver 65, 140, 215
 - inductive electromagnetic methods 246
 - inductive electromagnetic sources 228
 - initial gain 141
 - initial guess model 41, 74, 77
 - initial model 74, 215
 - initial transmitter check out 153
 - inline—offset layout 160
 - in-loop TEM 32
 - in-loop transient electromagnetics 161
 - input function 55
 - input signal 310
 - in situ conditions 11
 - instability 88
 - instantaneous floating (IFP) point
 - amplifier 141
 - instrument resolution limit 271
 - integral equation (IE) technique 109, 116, 121–125, 224
 - Integrated Geosciences 7
 - interblock gap 300
 - intermediate time 29

- reversal 116
- interpretation 73, 83, 88, 91, 100, 102, 104, 124, 125, 127, 147, 150, 159, 168, 171, 187, 196, 201, 213, 224, 245, 249, 254, 255, 257, 261, 264, 282–284
- process 183
- team 11
- workstation 150
- interpreter 11, 104
- interval conductivity 39
- interval image 42, 46
- interval resistivity image 41, 42
- interval resistivity 37–39, 42
- inverse modeling 74, 75
- inverse resistivity 38
- inversion ... 51, 70, 73–76, 79, 82, 84, 88–94, 99–102, 118, 121, 124–126, 212, 214, 215, 219, 226, 231, 237, 244, 245, 250, 251, 254, 259, 261, 266, 267, 279, 280, 282, 308, 314, 315
 - parameters 287
 - process 67
 - result 200, 201, 212, 230
 - stability 79
 - starting model 210
 - statistics ... 73, 79, 81, 83, 199, 245, 279, 314
 - with hard bounds 91
 - with soft bounds 91
- ionospheric currents 49
- IP 225
- iteration model 74
- iterative deconvolution 285

J

- Jacobian (sensitivity) matrix 77, 84, 92, 126, 232, 233, 287, 315, 316
- jagged structures 99
- Japan 190
- Jiangsu province 240
- joint inversion 83–90, 126, 138, 184, 215, 238, 239, 246, 282, 308, 315
- Jurassic 206
 - sediments 253

K

- K-type 41
 - curve 308
 - model 41, 46, 84
 - synthetic data 86
 - three-layer models 41
- Kaapvaal craton 268, 174, 283, 284

- Kronecker symbol 78
- Kurrajong Heights 214

L

- Lagrange multiplier 100
- laminated lower crust 258, 263
- Lamontagne Geophysics Ltd. 310
- land techniques 3
- Laramie 206
- large loop EM methods 228
- late apparent resistivity formula ... 45, 199
- lateral effects 160
- lateral inhomogeneities ... 50, 62, 71, 111
- lateral moveout 228
- lateral resistivity variations ... 47, 141, 149, 159, 279
- laterally inhomogeneous conductive plate 109
- laterolog 90
- late time
 - apparent resistivity . 27–30, 37, 46, 244, 251, 272
 - — transforms 103
 - approximation 37
 - half-space voltage 29
 - resistivity 251
 - — curves 143
 - — transform 267
 - reversal 104–106
- Latin America 8
- laundry detergent 152
- layer-cake 15, 76, 174, 175, 308, 310
- layered
 - earth model 26, 65, 118
 - earth structures 102
 - earth . 24, 43, 45, 64, 75, 103, 104, 113, 120
 - half-space 122
 - quarter-spaces 121
- layer equivalence 308
- layer equivalencing 174, 176, 190
- leapfrogging technique 159
- lightening 58
- lime 152, 172
- limestone 12, 174, 195, 196, 206, 235, 242–245
- Limpopo Belt 268, 274, 282, 283
- LNC application 170
- LNC technique ... 158, 162, 165, 166, 168, 170, 171, 308
- line characteristics 68
- linear digital filters 52, 53

- linear drift 198
 - linearized inversion 88
 - LNPF 161
 - lithological boundaries 191
 - lithological parameters 183
 - lithology 12, 78, 174, 176, 210, 235, 282
 - local minimum 78
 - local noise compensation technique 49, 149, 158, 161, 172, 277, 308
 - local noise prediction filtering 161
 - local structure 280
 - lockin filter 57, 68
 - log resistivities 266
 - logarithmic domain 198
 - logarithmic parameters 76, 126
 - logarithmic transforms 146
 - long offset transient electromagnetic sounding system 128
 - long offset transient electromagnetics 128, 161, 309
 - long-spread reflection survey 266
 - longitudinal direction 14
 - longitudinal resistivity 15, 16, 309
 - Long Offset Transient EM 7
 - Long Offset Transient Electromagnetics 5, 21
 - LOPIS 297, 298
 - LOPS 298, 300, 304
 - LOTEM 5, 7, 9, 10, 15–17, 20, 21, 22, 27, 31, 32, 100, 104, 111, 116, 117, 127–132, 134, 145, 150, 151, 155, 161, 162, 172–179, 182–197, 201, 204, 205, 207–210, 212–216, 219, 222, 224–230, 233, 236, 237, 240–247, 250–254, 256, 258, 262–269, 272–285, 290, 295, 297, 308, 309, 314
 - electric field 250
 - field system 172
 - forward modeling 176
 - image section 245
 - magnetic field 250
 - method 16
 - processing and interpretation 297
 - sounding method 281
 - soundings 60
 - survey 241
 - low cut filters 142
 - lower crust 247, 257
 - lower crustal conductor 283
 - low frequency noise 70
 - low pass filtering 169
 - low-velocity anomalous region 266, 281
 - low-velocity channel 257
 - low-velocity zone 263, 281, 283
- M**
- Macquarie University 208
 - magnetic
 - component 15, 24, 159, 238
 - data 183, 238
 - field 24, 26, 32, 33–35, 38–40, 45, 65, 67, 87, 89, 94, 126, 130, 138, 142, 159, 172, 187, 189, 190, 198, 202, 217–219, 228, 229, 231, 233, 234, 246, 289
 - field component 72, 85, 138, 158, 161, 243
 - field derivative 15, 16, 244
 - field joint inversion 159
 - field measurements 15, 201
 - field receiver 270
 - field response 244
 - field sensors 128, 157
 - field transient 187, 199, 231, 249, 284
 - induction 24, 289
 - permeability 289
 - response 232, 233
 - transient data 238–240
 - magnetics 2, 4, 309
 - magnetometers 229
 - magnetometric resistivity 62
 - magnetotelluric data 83, 182–184
 - magnetotelluric measurements 241, 264
 - magnetotelluric method 161
 - magnetotellurics 6, 19, 27, 62, 83, 186, 190, 215, 252, 257, 263, 265, 309
 - main amplifier 229
 - maintenance 149
 - mapping of porosity variations 4
 - marine sediments 209
 - Marl 195
 - Marquardt algorithm 215
 - Marquardt–Levenberg method 79, 82, 83, 126
 - Marquardt solution 100
 - Marquardt type inversion 100, 271
 - massive sulphide mineralization 5
 - master clock 138
 - material equations 288
 - Maxwell's equations 2, 24, 45, 288, 289

- measured voltage 27, 29, 45, 64
 - median stacking technique 271, 272
 - megasource 249, 250
 - TEM 250
 - Mesozoic 264, 266
 - metallic sulphides 282
 - metamorphosed sedimentary rocks 12
 - Metronix GmbH 9
 - MHD generators 247
 - microprocessor 143
 - Middle East 8
 - mid-time depressions 104
 - mid-time reversal 104, 105
 - migration 44
 - Milford Valley 104-107, 113-115
 - mineral exploration 5
 - minimum depth of investigation 258
 - minimum model 99
 - minimum thickness test 262
 - mining applications 5
 - mining industry 189
 - misalignment errors of the receiver 49
 - MMR 62
 - correction 50
 - mobile
 - processing center 150
 - processing systems 150
 - receiver station 168, 171
 - site 169
 - stations 163, 171
 - model
 - function 74, 75, 77, 78
 - parameters 74, 81
 - resolution 232
 - response 38
 - setup 113
 - moment 283
 - Monte Carlo inversion 250
 - MPPO-1 5
 - MT 6, 67, 84-89, 161, 162, 186, 190, 215, 216, 224, 228, 259, 262, 279, 282, 309
 - soundings 186
 - Münsterland 88, 193
 - area 225, 226
 - basin 215
 - multi-dimensional modeling 45, 76
 - multichannel
 - acquisition systems 129, 172
 - field procedures 160
 - measurements 148
 - procedures 172
 - processing techniques 127
 - remote units 131
 - system 49, 127, 139, 158, 165, 171
 - transient EM system 138, 139
 - multifold reflection data 266
 - multiple images 39
 - multitasking 150
 - multiturn loops 229
- N**
- Napier formation 235
 - Narrabeen Group 213
 - natural
 - electromagnetic fields 247
 - electromagnetic noise 178
 - noise 161
 - noise sources 58
 - source electromagnetic methods 246
 - near-surface lateral resistivity inhomogeneities 47, 49
 - near-surface anomalous zones 222
 - near-surface conductor 217
 - Negro Mag Fault 105, 113
 - New South Wales 208
 - Newton-Raphson method 34
 - noise 83, 84, 91, 144-146, 149, 161, 163-165, 171, 178, 184, 207, 259, 262, 278, 279, 308, 309
 - cancellation technique 148, 162
 - characteristic 162, 259
 - compensation 49, 138, 165, 170, 193, 282
 - frequencies 231
 - interference 144
 - limitations 144
 - processing 148
 - reduction 161, 169, 172
 - compensated signal 163
 - free signal 171
 - free synthetic input signal 56
 - to-signal ratio 315
 - noisy field data 182
 - non-recursive filter 52, 53
 - nonseismic techniques 2, 4, 309
 - normal fields 110
 - normalized
 - Jacobian 234
 - damping parameter 81

- eigenvalue	81
- singular value	315
- spectral value	315
Northern Ireland	8
notch filter	49, 50, 54, 56, 68, 258
notch frequency	54
number of effective parameters	83, 315
number of iterations	78, 316
number of stacks	178
NSR	315
Nyquist frequency	54, 70

O

Oberpfalz	252, 254, 256, 261, 281, 283, 284
Occam inversion	73, 99-102, 124, 125, 147-149, 196, 197
Occam model	100
off-time	247, 308, 309
offset	16, 21, 25, 27, 35, 66, 105, 141, 173, 178, 181, 190, 192, 249, 258, 270, 272, 309,
Ogallala	206
oil and gas pool systems	182
oil exploration	6, 121
oil field	229, 233
oil shales	212
oil-water contact	3, 19
1-D interpretation	44
1-D inversion	73
1-D source imaging	44
onset-reversal	103
onset	103, 304
operational amplifiers	144
optimum survey layout	182
optimum survey strategy	182
optimum transmitter-receiver offset	182
original parameters	83, 87, 126
orthonormal data space eigenvectors	287
orthonormal data space	81
oscillator clocks	229
outliers	70
output signal	47
overinterpretation	99
overshoot	40-42
overthrust	4, 19, 192

P

Pacific North-West	252
Pahoehoe	12

Paleozoic	264, 266
parameter	
- bounds	97
- combinations	82
- difference vector	77, 92, 287
- influence matrix	315
- resolution	80
- space	81, 287, 316
- vector	78, 84
- weights	92
parametric inversion	231
passive EM techniques	227, 247
Pennsylvanian	206
Peoples Republic of China	167
percentage sandstone	238-240
periodic noise	48, 49, 52, 53, 57, 68-70, 164, 170, 198, 253, 259, 309
permafrost	3, 19
Permian	196, 206, 213, 241, 242, 244, 253
petroleum exploration	21
petrophysical behavior	11
phase and amplitude preserving digital recursive filter	52, 53
phase curves	27
phase shifts	55
phase-correlated	57
physical background	21, 127, 228
physical parameter	76, 314, 315, 316
physical properties of rocks	10, 227, 247
Pierre Shale	206
Pietersburg	269
pipeline	102, 107, 230, 309
- response	116, 230
Poisson's ratio	263, 281, 282
polarity	116
- reversals	49
- reversing transmitter	49, 308
polarization	230
- effects near the electrodes	49
pole-zero technique	54
poles and zeroes	54, 70
poloidal density	289
poloidal mode	289
poloidal potentials	24
pore fluid	12, 14
porosity	4, 11, 12, 20, 184, 235, 238, 240, 244, 246
- maps	4
- predictions	182
- variation	11, 19, 184, 190, 192

- variations 238
- portable system 9
- poststack 57, 58, 68–71
 - filtered data 70
 - processing 68, 69, 103
- postvolcanic gas exhalations 282
- potassium 152, 172
- potential theory 24
- power consumers 49
- power line 49, 70, 108, 161, 204, 219, 241
 - noise 254, 258
- power network 49
- PRBS 49, 309
- PRC 243, 277, 278
- preamplifier 49, 129–131, 140, 144, 155, 229
- precursor 275
- prestack 47, 57, 68, 69, 210
 - filtered data 70
 - filtering 166, 258
 - processing 9, 68, 71, 166, 254, 271
- presurvey feasibility study 17, 182
- pretrigger 136, 304
- primary field 6
- processing 91, 145, 171, 184, 208
 - comments 300
 - sequence 253
 - steps 231
 - theory 11
 - time 144, 171
- production mode 182
- production problems 182
- profile inversion 73, 91–99, 125, 126
- pseudo random binary sequence .. 49, 309
- pseudo-sections 37
- pseudo-static 67
- P-wave velocity 281, 282

Q

- quality control 127, 150, 171, 198, 229, 231, 259
- quasi-stationary Maxwell equations 24, 288
- Q-type 41, 46, 88
 - curve 309
 - three-layer models 41
- Quaternary 253

R

- power grid noise 57
- tracks 102, 107, 219
- ramp function 49
- ramp time 133, 154, 156, 309
- random access file 298
- raw field data 169, 171, 182, 198, 254, 258
- raw records 253
- raw signals 198
- raw transient 231
- real time quality control 129
- receiver .. 9, 22, 27, 45, 79, 105, 109–112, 117, 121, 125, 128, 131, 135, 141, 146, 148, 156–159, 161, 165, 167, 171, 173, 178, 183, 196, 205, 207, 210, 212, 217, 229, 230, 249, 253, 259, 261, 266, 270, 309, 310
 - analog filter effects 258
 - area 62
 - coil 165, 179, 181
 - filters 47
 - gain 278
 - location 187
 - misalignment 50, 62
 - misorientation 48
 - moments 192
 - setup 22, 162
 - site 21, 40, 150, 165, 182
 - system 127, 129, 171, 172
- reciprocal modified impedances .. 25, 292
- record 68
 - pointer 298, 299
- recording system 154
- recording time 230
- rectifier-current-switch assembly 128
- recursion formulae 45
- recursive filter .. 52, 53, 55, 57, 58, 70, 231
- reduced model 174
- reduced well log 90
- reference level 103, 143
- reference zero level 102
- referencing 200
- refelection
 - coefficient 294
 - seismic data 240, 263
 - seismic sections 263
 - seismic surveys 235
 - seismic .. 204, 227, 257, 264, 309
- reflections of the electromagnetic waves 6
- reflectors 241, 245
- refraction seismic 257, 264
- regional noise 165

- railroad 70, 108
 - grids 161

- | | | | |
|------------------------------------|---|------------------------|--|
| regional velocity gradient | 264 | Ruhr District | 193, 204 |
| regression | 73 | | |
| rejection criteria | 70 | S | |
| relative error | 84 | safety devices | 127, 133 |
| remote clocks | 135 | safety interlocks | 136 |
| remote operations | 151 | saline connate water | 3 |
| remote unit | 9, 138, 146, 149, 154, 160 | saline water | 281 |
| remote-reference technique | 49, 161 | salinity | 12, 240 |
| removable hard disk | 9 | salt | 152, 172 |
| repeatability | 277, 279 | — concentration | 12, 14, 20 |
| repetition rate | 133, 307, 309 | — sediment boundary | 99 |
| resistive fault zones | 125 | sampling rate | 230 |
| resistive medium | 40 | sand-to-shale ratio | 4, 20, 230, 238, 240, 246 |
| resistive targets | 229 | sandstone | 12, 20, 174, 184, 206, 212 |
| resistivity | 11, 14, 16, 26, 40, 233 | — target | 181 |
| — anisotropy | 15 | satellite clocks | 135 |
| — anomaly | 275 | scalar potential | 24, 45, 290 |
| — contrast | 22, 38, 45 | scale factor | 61, 67, 71, 316 |
| — depth section | 145, 280 | Schlumberger soundings | 274 |
| — image | 38 | screening layer | 229 |
| — of the formation | 11 | SEAMEX | 9 |
| — of the pore fluid | 11 | secondary field | 6 |
| — range | 11 | secondary signal | 6 |
| — section | 97 | sedimentary | |
| — structure | 21, 41, 125 | — areas | 76, 254 |
| — test | 262 | — basin | 79, 93, 220 |
| — transform | 31, 70, 104, 111, 115, 146, 148, 168, 199, 266 | — cover | 266 |
| — variations | 19 | — environment | 91, 110, 111, 117, 124, 125, 152, 158, 308 |
| resolution | 81, 240, 243 | — rocks | 12, 282 |
| — analysis | 174, 227, 231, 234, 245 | sedimentation process | 15 |
| — criteria | 84 | sediments | 15, 99, 100, 192 |
| — limit | 271 | SEG Y standard | 297, 300, 305 |
| — statistics | 190 | seismic | |
| — study | 183, 184 | — cable | 130 |
| — threshold | 140 | — data | 240, 245, 297 |
| reverberation of the seismic waves | 4 | — distortion | 310 |
| reversal | 44, 73, 102–104, 108–112, 116, 122, 125, 126, 219, 230, 249, 284, 309 | — field procedures | 160 |
| Rheinisches Schiefergebirge | 193 | — industry | 128 |
| Rhine–Ruhr industrial district | 165 | — information | 238, 239, 242 |
| ringing effects | 57 | — interpretation | 174, 213, 261 |
| rock failure | 275 | — line | 184, 241, 264 |
| rock resistivity | 12 | — mapping | 238 |
| rock type | 11, 12 | — modeling | 263 |
| roll along technique | 160 | — reflection line | 197 |
| roll over time | 104 | — reflection pattern | 269 |
| roughness | 100 | — reflection profile | 269 |
| Ruhr Area | 225 | — reflection | 252 |
| | | — reflector | 213, 245 |
| | | — section | 138, 172, 182–184, 186, 196, 235, 237, 240, 241, 245, 257, 258 |

- survey 172, 257, 263,
- systems 138
- technology 141
- velocities 3
- seismically laminated zone 257
- seismics 37, 127, 184, 186, 190, 195, 227, 246, 265, 310
- selective stack 60, 69, 258
- selective stacking algorithm 61, 62, 70, 199
- selective stacking methods 58
- selective stacking 48, 68–70, 168, 170, 171
- selectively stacked transient 51, 163, 259, 278
- sensitivity 125, 233, 234, 246, 314
 - analysis 77
 - matrix 315
 - study 176, 177
- sensor 131, 144, 146
- shale 174, 206, 212
- shallow TEM soundings 186
- Shoalhaven Group below 213
- sign reversal 43, 187, 216, 217, 225
- signal
 - drifts 139
 - level 181
 - transmission line 130
 - to-noise improvements 47, 127, 148
 - to-noise limitations 139
 - to-noise ratio 27, 47, 49, 51, 59–61, 68, 70, 71, 102, 127, 128, 145, 158, 161, 172, 198, 204, 230, 245, 258, 259, 278
- siltstones 243
- simplest model 231
- single channel processing 139
- single record 57, 171
- single site processed data 148
- single site system 129, 131, 139, 144, 148, 158, 159
- singular value 232, 315, 316
 - decomposition 79, 80, 287, 316
- SIROTEM 5, 7, 214, 215, 309
- skin depth 27, 84
- slave clock 138
- SLDM 116, 121–124, 223
 - program 187, 222
- slowness 38, 40
- small bipole 21
- smoke ring 23
 - concept 21, 45, 228
- smooth inversion algorithm 196
- smooth model 99
- smooth resistivity versus depth function 124
- smoothing and stacking 169
- SMZ 268, 274
- S/N ratios 264
- SQUID magnetometers 62, 207
- soft bounds 94, 95, 98
- soldering joint 105
- soundings 91, 93, 189, 193, 200
- source currents 192
- source image conductivity 39
- source image 39, 40–44, 46, 246
- source moment 133, 281
- sources of noise 48
- South Africa 9, 19, 57, 268, 281–283
- Southern Germany 253
- Southern Marginal Zone 268, 283
- Soviet Union 7, 37, 247
- sparse data 138
- spectral Lanczos decomposition
 - method 116, 121, 122, 124
- spectral values 315
- spherics 161
- spike 49, 58, 59, 70, 107, 310
 - detector 58
- spitter 157, 310
- split spread configuration 160
- sporadic noise 48, 49, 58, 60, 70, 164, 170, 171, 231, 310
- spread 160
- square wave current 128
- square wave signal 131
- stability 79
- stack 249
- stacked data 279
- stacked signals 278
- stacked transient 103, 167, 170, 278
- stacking 76, 271, 282
 - algorithms 72
 - methods 61
 - technique 60, 161
 - velocities 245, 266
- standard average 72
- standard deviations 77, 84, 314, 316
- standard geothermal gradient 20
- standard inversion 91
- starting model 83, 85, 87, 93–95, 97, 196, 212, 219, 231, 233, 254, 316

- three-dimensional geology 99
- three-dimensional modeling 124
- three-dimensional structure 89, 104
- 3-D
 - algorithms 73
 - anomaly 217
 - data 121
 - distortions 310
 - effect 200, 215, 219, 222, 224, 225, 249, 250, 274
 - interpretation 188, 193
 - model 43, 44, 112
 - modeling 73, 121, 189
 - response 112, 116, 118, 120
 - simulations 122
 - structure 38, 39, 43, 44, 47, 49, 51, 67, 68, 73, 76, 82–89, 91, 159
- three-layer earth 30
- three-layer model 35, 40, 41
- threshold value 82, 100
- Tiangjin 276
- tidal forces 275
- time derivative of the vertical magnetic field 21, 109, 128, 187, 199, 193, 232
- Time Domain ElectroMagnetics 310
- time domain 6, 72, 116, 286, 296, 310
 - methods 27
 - signal 6
 - system 20
- time window 173, 179, 181, 182
- time–frequency equivalent 50, 64
- time-variant Hanning window 271
- timing marker 283
- timing markers 248
- TM mode 25, 289
- toroidal mode 289
- toroidal current density 289
- toroidal potentials 24
- total conductance 38, 174, 175, 307, 308, 310
- total magnetic field 218
- trace header 304, 305
- traces 245
- tracing layer 94
- trains 58
- transform domain 285, 286
- transformation matrix 232
- transformed parameters 81, 83, 87, 126, 316
- transient 54, 102, 103, 107, 115, 125, 128, 140, 142, 144, 154–156, 162, 163, 168, 171, 187, 210, 212, 229, 231, 247–249, 253, 254, 258, 259, 271, 278, 283, 285, 298, 299
 - data 143
 - electromagnetics 6, 7, 19, 21, 116, 249, 286, 310
 - electromagnetic
 - data 45, 297
 - fields 21
 - method 7, 21
 - sounding systems 171
 - soundings 125
 - EM 37, 227, 249, 297, 308
 - field system 5
 - methods 27, 161
 - sounding 310
 - system 7, 138, 309
 - techniques 3
 - leader 68
 - response 122, 187, 188
 - signal 70
 - sounding 249, 251
 - trailer 68
- transmitter 22, 25, 27, 35, 45, 46, 71, 105, 109, 112, 117, 118, 120–122, 125, 127, 128, 133, 135, 138, 141, 151, 153, 155–157, 160–162, 171–173, 178, 193, 194, 200, 210, 215, 217, 229–234, 241, 252, 258, 261, 265, 270, 278, 281, 283, 297, 308–310
 - clocks 158
 - control sheet 153
 - current 127, 158, 217, 284, 309
 - dipole 21, 39, 210
 - moment 25
 - electrodes 133
 - moment 49, 278
 - overprints 47, 116, 117, 126, 200, 231, 241, 251, 261
 - record sheet 313
 - setup 22
 - site 21
 - switching 68, 247
 - system 127, 129, 133, 172
 - waveform 47, 48, 271
 - wire 156, 157
 - receiver offset 178
 - receiver separation 65
- transverse
 - electric (TE) mode 24
 - magnetic (TM) mode 24

– resistance	175, 200,	310
– – referencing		310
– resistivity		15
Triassic	196, 213, 240–245,	253
true		
– amplitude filters		254
– amplitude notch filter		57
– amplitude recursive filters	52,	53
– signal		49
– system response		49
tuff	12,	212
Turkey		8
two-dimensional section		188
2-D interpretation		188
2.5-D model		121
two-layer earth model	23,	24
two-layer model		22,
	32, 34, 35, 40	
typical field setup		128

U

U-matrix		316
unconsolidated sediments		11
unconsolidated rocks		13
unconstraint inversion		202
undamped parameter		92
undershoot		33
unit circle		54
United States		225
University of Cologne	9, 165,	193
University of Toronto		310
– EM system	7,	310
Urach	264, 265, 267,	282
– Geothermal Area	252, 264, 265,	281,
	283	
USA	8, 192, 205, 281,	283
USSR		247
Utah	104,	114
UTEM	7, 214, 215,	310

V

vacuum permeability		24
valley fill		117
van Cittert iteration	50, 285,	286
vertical		
– component of the electric field		228
– current flow		15

– current loops		289
– electric field		63
– magnetic field	30, 63, 65,	192
– resistivity,		17
– shift		66
– stacks		160
vibroseis		309
V-matrix		316
volcanic covers	4, 19,	192
volcanic material		240
volcanic rocks	12,	152
voltage		27
– – current relationship		26
– response	33–35,	270

W

walkaway profile	126,	178
walkaway test	178, 230, 242,	310
water pumps		58
water saturation		240
wave equation		26
wave number		25
WBK		9
weakly-cemented detrital rocks		12
weighting matrix	77, 80, 84, 287,	288
weights	84, 92, 94, 98,	259
well completion report		212, 213
well log	16, 17, 74, 83, 89–92,	94,
	173–176, 183, 184, 190, 191, 193, 195,	
	196, 201, 202, 205, 214, 215, 233, 237,	
	239, 240, 242, 266	
– reduction		96
well-cemented sediments		20
Wenner arrays		275
Windjana / Nullara limestone		235
wind noise		165, 169

Y

Yangtze and Huabei paraplatforms		240
----------------------------------	--	-----

Z

z-domain		50
Zechstein	196, 202,	226
Zimbabwe craton		268
Zonge GDP 12		229
z-plane		55
z-transform	52, 53,	310



KMS Technologies – KJT Enterprises, Inc.

6420 Richmond Ave., Suite 610
Houston, Texas 77057, USA
Tel: +1 713.532.8144
Fax: +1 832.204.8418

www.KMSTechnologies.com